

FIG. 1 is a perspective view of a first embodiment of a device 10, showing a base 12, a frame 14, a display 16, a bezel 18, and a cover 20. The bezel 18 is shown in a folded position, revealing the display 16. The cover 20 is shown in a closed position, covering the display 16. The device 10 is shown in a perspective view, with the bezel 18 and cover 20 being the main components. The bezel 18 is a rectangular frame that surrounds the display 16. The cover 20 is a rectangular plate that fits over the bezel 18 and display 16. The device 10 is shown in a perspective view, with the bezel 18 and cover 20 being the main components. The bezel 18 is a rectangular frame that surrounds the display 16. The cover 20 is a rectangular plate that fits over the bezel 18 and display 16.

Fig. 2





Fig. 1










Fig. 4

FIG. 5 is a perspective view of the device 10 in a closed position. The device 10 includes a housing 12, a lid 14, and a plurality of slats 16. The housing 12 is formed by a front wall 18, a back wall 20, and side walls 22. The lid 14 is formed by a front wall 24, a back wall 26, and side walls 28. The slats 16 are positioned between the front wall 18 and the back wall 20. The device 10 is shown in a closed position, with the lid 14 covering the front wall 18. The device 10 is shown in a perspective view, with the front wall 18 and the back wall 20 being parallel to each other. The side walls 22 and 28 are perpendicular to the front and back walls. The slats 16 are parallel to the front and back walls. The device 10 is shown in a perspective view, with the front wall 18 and the back wall 20 being parallel to each other. The side walls 22 and 28 are perpendicular to the front and back walls. The slats 16 are parallel to the front and back walls.



5     NOTICE: This correspondence chart is provided for informational purposes only. It is not a part of the official Patent Application.

#### CORRESPONDENCE CHART

10	10	IMPROVED IMAGER ASSEMBLY
	11	IMAGER SUBASSEMBLY
	12	METAL SUBSTRATE
	14	REFLECTIVE LCD DEVICE
	16	GLASS COVER
15	18	CONNECTOR RIBBON
	20	IMPROVED MOUNTING FRAME
	22	IMAGE MASK
	24	ADHESIVE
	26	ISOLATION BORDER
20	28	STRESS REDUCING RECESSES
	30	INDEX HOLES (IN MASK)
	32	INDEX POSTS
	34	LAND FOR ADHESIVE
	36	MOUNTING SCREW HOLES
25	38	HEAT SINK
	40	ASSEMBLY WITH HEAT SINK